

Message

From: Nordgren, Judith [Judith_Nordgren@americanchemistry.com]
Sent: 7/28/2017 2:04:19 PM
To: Courtnage, Robert [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=0178328a90b644929cc8981cf34f5fad-RCourtna]
Subject: Re: Question regarding gaskets

Dear Robert,

Great, I'll be back in the office on Tuesday. Just let me know when y'all are ready and we'll schedule the calls.

Have a great weekend,

Judith

Sent from my iPhone

On Jul 28, 2017, at 9:16 AM, Courtnage, Robert <Courtnage.Robert@EPA.GOV> wrote:

Hi Judith- We are preparing follow-up questions that I will provide to you to share with the companies. I do think it would be helpful to have a call to work through the answers to those questions. I think it will also be necessary for us to talk to the companies separately as well.

-Robert

Robert T. Courtnage
Associate Chief
Fibers and Organics Branch
National Program Chemicals Division
Office of Pollution Prevention and Toxics/OCSP
U.S. Environmental Protection Agency
202.566.1081 (Desk)
202.740.2993 (Mobile)

From: Nordgren, Judith [mailto:Judith_Nordgren@americanchemistry.com]
Sent: Monday, July 24, 2017 5:00 PM
To: Courtnage, Robert <Courtnage.Robert@EPA.GOV>
Subject: Question regarding gaskets

Dear Robert,

Thanks for the meeting update. Would it be helpful to schedule a teleconference with Olin and Oxy separately to see if there are other questions you and your team may have? We could then perhaps schedule a face-2-face to answer them?

I've not yet heard back from Chemours but I do know that they have reached out to their supplier.

Thanks,

Judith

Judith Drew Nordgren | American Chemistry Council
Managing Director Chlorine Chemistry Division
700 2nd Street NE Washington DC 20002
O | 202.249.6709
www.americanchemistry.com/chlorine

From: Courtnage, Robert [<mailto:Courtnage.Robert@EPA.GOV>]
Sent: Friday, July 14, 2017 2:51 PM
To: Nordgren, Judith
Subject: RE: Question regarding gaskets

Thank you for this list.

Also, as an FYI, myself and another EPA colleague spoke with a representative of Bergeson and Campbell, PC, (representing Oxy Chem) today after I was contacted by him following a meeting with EPA earlier in the week. He provided some additional discussion on diaphragm manufacture on behalf of Oxy Chem. We thanked him for this and also said we are interested in knowing what the differences were (even if minor and in compliance with regulatory requirements) for the asbestos handling practices at the plants we didn't visit.

Thanks and have a great weekend.

Robert T. Courtnage
Associate Chief
Fibers and Organics Branch
National Program Chemicals Division
Office of Pollution Prevention and Toxics/OCSP
U.S. Environmental Protection Agency
202.566.1081 (Desk)
202.740.2993 (Mobile)

From: Nordgren, Judith [mailto:Judith_Nordgren@americanchemistry.com]
Sent: Friday, July 14, 2017 2:35 PM
To: Courtnage, Robert <Courtnage.Robert@EPA.GOV>
Subject: RE: Question regarding gaskets

Dear Robert,

I hope you're doing well. Please find attached site locations using chrysotile asbestos diaphragm technology in their manufacturing process. Let me know if you have any questions. I'm currently on business travel but will be back in the office Monday morning.

All the best,

Judith

Judith Drew Nordgren | American Chemistry Council
Managing Director Chlorine Chemistry Division
700 2nd Street NE Washington DC 20002
O | 202.249.6709
www.americanchemistry.com/chlorine

From: Courtnage, Robert [<mailto:Courtnage.Robert@EPA.GOV>]
Sent: Tuesday, July 11, 2017 8:11 AM
To: Nordgren, Judith
Subject: RE: Question regarding gaskets

Thanks Judith for getting that info for us. Yes, I was aware of Axial's affiliation with Westlake and that they are not an ACC member.

Best,

-Robert

From: Nordgren, Judith [mailto:Judith_Nordgren@americanchemistry.com]
Sent: Tuesday, July 11, 2017 7:38 AM
To: Courtnage, Robert <Courtnage.Robert@EPA.GOV>
Subject: RE: Question regarding gaskets

I don't have that readily at my disposal but we'll get it from my members. Just so you know, Axial is now owned by Westlake Chemical; I believe they acquired that company a couple of years ago. They are not American Chemistry Council or Chlorine Chemistry Division members.

Thanks,

Judith

Judith Drew Nordgren | American Chemistry Council
Managing Director Chlorine Chemistry Division
700 2nd Street NE Washington DC 20002
O | 202.249.6709
www.americanchemistry.com/chlorine

From: Courtnage, Robert [<mailto:Courtnage.Robert@EPA.GOV>]
Sent: Tuesday, July 11, 2017 7:29 AM
To: Nordgren, Judith
Subject: Re: Question regarding gaskets

Thanks for the update. Did you by chance already supply the name and addresses of member plants that currently use asbestos diaphragms? If not, is that something relatively easy to come by? I believe there were 14, not including the Axial plant.

Best-

Robert T. Courtnage
Associate Chief
Fibers and Organics Branch
National Program Chemicals Division
Office of Pollution Prevention and Toxics
202.566.1081

Sent by my iPhone

+++++ This message may contain confidential information and is intended only for the individual named. If you are not the named addressee do not disseminate, distribute or copy this email. Please notify the sender immediately by email if you have received this email by mistake and delete this

email from your system. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message which arise as a result of email transmission. American Chemistry Council, 700 – 2nd Street NE, Washington, DC 20002, www.americanchemistry.com